

FIG. 1




FIG. 2

SOFTWARE ARCHITECTURE




FIG. 3

OPR

Project Options Help

Recorders

410

411

412

414

416

418

420

422

424

426

428

Mach.	Trk ID	s	R	I	S	M	Gain	Offset	Mach.	Trk ID	Track Name	s	R	I
105, 1	Track 1						0 dB	00:00.0	106, 2	Track 2				
105, 2	Track 2						0 dB	00:00.0	106, 3	Track 3				
105, 3	Track 3						0 dB	00:00.0	106, 4	Track 4				
105, 4	Track 4						0 dB	00:00.0	106, 5	Track 5				
105, 5	Track 5						0 dB	00:00.0	106, 6	Track 6				
105, 6	Track 6						0 dB	00:00.0	106, 7	Track 7				
105, 7	Track 7						0 dB	00:00.0	106, 8	Track 8				
105, 8	Track 8						0 dB	00:00.0						
106, 1	Track 1						0 dB	00:00.0						

Save All

1 2 3 4 5 6 7 8

432

All None

442

440

Master

Slave

Local

Online

Offline

444

446

448

454

456

Location

01:00:00:00

460

458

462

464

472

In

00:00:00:00

474

Save Both

Out

00:00:00:00

470

468

466

Commit

438

450

446

452

444

448

454

456

Sync Bus:1

462

464

472

Time Remaining(1 Track)

02:53.36

Project

AES Reference

ES3

FIG. 4

400

[illegible]

Mach.	Trk ID*	Track Name	Fader	S	M	Gain	Offset	Mach,	Trk ID	Track	Fader	S	M
7, 1		Track 1	0	<input type="checkbox"/>	<input type="checkbox"/>	0 dB	00:00.0	7, 4		Track 4	0	<input type="checkbox"/>	<input type="checkbox"/>
7, 2		Track 2	0	<input type="checkbox"/>	<input type="checkbox"/>	0 dB	00:00.0	7, 5		Track 5	0	<input type="checkbox"/>	<input type="checkbox"/>
7, 3		Track 3	0	<input type="checkbox"/>	<input type="checkbox"/>	0 dB	00:00.0	7, 6		Track 6	0	<input type="checkbox"/>	<input type="checkbox"/>
◀ ▶													
Show M Data													

1 2 3 4 5 6 7 8

All None

00:00:00:00

<< < > >>

Commit

[illegible]